









REVISIONS			
REV.	DESCRIPTION	DATE	APPROVE
1	INITIAL RELEASE	2022/4/21	





- 要求:
- 子母环颜色一致:均为蓝色;
 - ESD 要求: ESD STM1.12(表面电阻: 1. 0x10e4~1. 0x10e11Ω)。

UNLESS OTHERWISE SPECIFIED:				XYTECH	
DIMENSIONS ARE IN MM TOLERANCES: ANGULAR: X .XX .XXX ±1° ±0.1 ±0.05 ±0.013		DRAWN	厉星洋	2022/4/21	子母环
		CHECKED	欧小路	2022/4/21	
		APPROVED	余凡	2022/4/21	
		MFG APPR.			
		Q.A.			
环保要求: RoHS Compliant		COMMENTS:		ND.	
MATERIAL: PBT (永久防静电)					
FINISH:					
DO NOT SCALE DRAWING					
FILE:			SCALE 1:1	A3	
WEIGHT:					

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVE
1	INITIAL RELEASE	2022/4/21	






三角形区域为MARKING点



注：
外环凹槽以3D图档为准。

UNLESS OTHERWISE SPECIFIED:				GAVIDZT	
DIMENSIONS ARE IN MM		DRAWN	厉星洋	2022/4/21	子母环外环
TOLERANCES:		CHECKED	欧小路	2022/4/21	
ANGULAR:		APPROVED	余凡	2022/4/21	
X		MFG APPR.			
.XX					
.XXX		Q.A.			
环境要求: RoHS Compliant		ND.			
MATERIAL: PBT (永久防静电)					
FINISH:					
DO NOT SCALE DRAWING					
FILE:		SCALE		A3	XYTECH
WEIGHT:		1:1			

REVSIONS			
REV.	DESCRIPTION	DATE	APPROVE
1	INITIAL RELEASE	2022/4/21	



注：
内环凸起以3D图档为准。

UNLESS OTHERWISE SPECIFIED:				XYTECH	
DIMENSIONS ARE IN MM TOLERANCES: ANGULAR: X .XX .XXX ±1° ±0.1 ±0.05 ±0.013		DRAWN	厉星洋	2022/4/21	TITLE